

Reg. No. V24510 (Act 36 of 1947)

Ovi-Thrive Lamb & Kids is a scientifically formulated liquid drench booster to nutritionally aid gut health, growth, immunity, fertility and

good livestock performance.

Can be used in feed, drinking water, milk, drench or top dressed on feed.

- 🗳 BIOAVAILABLE VITAMINS
- 🗳 ESSENTIAL AMINO ACIDS
- **W** TRACE ELEMENTS
- **ESSENTIAL FATTY ACIDS**
- **NUCLEOTIDES**
- PREBIOTICS
- ENERGY

COMPOSITION (per litre):

| - | | | | |
|--|-----------------|-----|-----------------------|----------|
| Vitamin A | 1,000,000 | iu | Vitamin K (MSB) | 400 mg |
| Vitamin D ₃ | 150,000 | iu | lodine | 1,000 mg |
| Vitamin E (as α-tocopherol acetate | e) 16,000 | mg | Selenium | 300 mg |
| Vitamin B ₁ | 4,000 | mg | Cobalt | 1,350 mg |
| Vitamin B ₂ | 1,000 | mg | Manganese (MAAC) | 2,000 mg |
| Vitamin B ₃ | 2,750 | mg | Zinc (MAAC) | 6,000 mg |
| Vitamin B ₅ (Calcium pantothenate | e) 1,250 | mg | Lysine hydrochloride | 2,000 mg |
| Vitamin B ₆ | 1,250 | mg | Methionine | 3,000 mg |
| Folic Acid | 1,250 | mg | Amino Acids Range | 2,100 mg |
| Vitamin B ₁₂ | 100,000 | mcg | Essential Fatty Acids | 1,000 mg |
| Vitamin C | 1,000 | mg | Nucleotides | 6,000 mg |
| Vitamin H (Biotin) | 2,000 | mcg | Prebiotics | 8,000 mg |
| | | | | |

On a high energy base.

MAAC = Metal Amino Acid Chelate

NO WITHDRAWAL PERIOD

| D | DS | A | GE | / | |
|---|----|---|----|---|--|
| | | | | | |

| Age: | Dose: |
|---------------------|--|
| Young lambs | 2,5 ml |
| Lambs and kids | 5 ml at marking or first deworming/vaccinating |
| All lambs and kids | 10 ml at 3 months or weaning. Repeat every 3 - 4 weeks if required |
| Ram lambs and hoggs | 10 mℓ repeat every 3 - 4 months or whenever handled |

IMPORTANT: Shake well before use. Do not exceed recommendations. Drench carefully to avoid the windpipe.

Uses nano-emulsion technology for maximum bioavailability and effect.

PRECAUTIONS: This is not a veterinary medicinal product. Keep out of reach of children. For animal use only. NOT for human consumption. If in doubt, consult your veterinarian or representative.

STORAGE: Store in cool dry place out of direct sunlight. Store between 5 - 25 °C, in original container. Product must be used within 3 months of opening.





Registration Holder: Ashkan Consulting (Pty) Ltd, Reg. No.: 2006/020486/07. 62 Kyalami Boulevard, Kyalami Business Park, Midrand, 1685. Tel: +27 (0) 11 466 8763.

Distributed by: Antrovet Animal Health (Pty) Ltd, Reg, No.: 2019/194324/07, PO Box 60577, Pierre van Ryneveld, 0045, Tel: +27 (0) 11 826 2988, www.antrovet.co.za



Ovi-Thrive Lamb & Kids is scientifically formulated liquid drench booster to nutritionally aid gut health, growth, immunity, fertility and good livestock performance.

Can be used in feed, drinking water, milk, drench or top dressed on feed.

SIOAVAILABLE VITAMINS

- SESSENTIAL AMINO ACIDS
- TRACE ELEMENTS
- SESSENTIAL FATTY ACIDS
- **S** NUCLEOTIDES
- **PREBIOTICS**
- Senergy

COMPOSITION (per litre):

| - | /////////////////////////////////////// | | | |
|---|---|-----|---------------------------------|----------|
| Vitamin A 1 | ,000,000 | iu | lodine | 1,000 mg |
| Vitamin D ₃ | 150,000 | iu | Selenium | 300 mg |
| Vitamin E (as α-tocopherol acetate |) 16,000 | mg | Cobalt | 1,350 mg |
| Vitamin B ₁ | 4,000 | mg | Copper (MAAC) | 1,500 mg |
| Vitamin B ₂ | 1,000 | mg | Manganese (MAAC) | 2,000 mg |
| Vitamin B ₃ | 2,750 | mg | Zinc (MAAC) | 6,000 mg |
| Vitamin B ₅ (Calcium pantothenate) | 1,250 | mg | Lysine hydrochloride | 2,000 mg |
| Vitamin B ₆ | 1,250 | mg | Methionine | 3,000 mg |
| Folic Acid | 1,250 | mg | Amino Acids Range | 2,100 mg |
| Vitamin B ₁₂ | 100,000 | mcg | Essential Fatty Acids | 1,000 mg |
| Vitamin C | 1,000 | mg | Nucleotides | 6,000 mg |
| Vitamin H (Biotin) | 2,000 | mcg | Prebiotics | 8,000 mg |
| Vitamin K (MSB) | 400 | mg | MAAC = Metal Amino Acid Chelate | |

On a high energy base.

DOSAGE:

NO WITHDRAWAL PERIOD

| Age: | Dose: |
|---------------------|--|
| Young lambs | 2,5 mℓ |
| Lambs and kids | 5 ml at marking or first deworming/vaccinating |
| All lambs and kids | 10 ml at 3 months or weaning. Repeat every 3 - 4 weeks if required |
| Ram lambs and hoggs | 10 ml repeat every 3 - 4 months or whenever handled |

IMPORTANT: Shake well before use. Drench carefully to avoid the windpipe. Do not exceed recommendations. DO NOT FEED TO SHEEP SUSCEPTIBLE TO COPPER POISONING.

Uses nano-emulsion technology for maximum bioavailability and effect.

PRECAUTIONS: This is not a veterinary medicinal product. Keep out of reach of children. For animal use only. NOT for human consumption. If in doubt, consult your veterinarian or representative.

STORAGE: Store in cool dry place out of direct sunlight. Store between 5 - 25 °C, in original container. Product must be used within 3 months of opening.





Registration Holder: Ashkan Consulting (Pty) Ltd, Reg. No.: 2006/020486/07. 62 Kyalami Boulevard, Kyalami Business Park, Midrand, 1685. Tel: +27 (0) 11 466 8763.



Reg. No. V23770 (Act 36 of 1947)

Ovi-Thrive Sheep & Goats is a concentrated liquid complementary feeding stuff, scientifically formulated to aid optimal growth, immunity, fertility and performance for all types and ages of sheep and goats. **BIOAVAILABLE VITAMINS**

- **ESSENTIAL AMINO ACIDS**
- TRACE ELEMENTS
- SESSENTIAL FATTY ACIDS
- Senergy

MAAC = Metal Amino Acid Chelate

Can be used in feed, drinking water, milk, drench or top dressed on feed.

COMPOSITION (per litre):

| Vitamin A 1, | 000,000 | iu | Vitamin H (Biotin) | 3,750 | mcg |
|---|---------|-----|-----------------------|-------|-----|
| Vitamin D ₃ | 152,000 | iu | Vitamin K (MSB) | 410 | mg |
| Vitamin E (as α-tocopherol acetate) | 15,000 | mg | lodine | 1,000 | mg |
| Vitamin B ₁ | 2,700 | mg | Selenium | 300 | mg |
| Vitamin B ₂ | 1,000 | mg | Cobalt | 1,350 | mg |
| Vitamin B ₃ | 3,500 | mg | Manganese (MAAC) | 2,000 | mg |
| Vitamin B ₅ (Calcium pantothenate) | 1,250 | mg | Zinc (MAAC) | 6,000 | mg |
| Vitamin B ₆ | 1,250 | mg | Lysine hydrochloride | 2,200 | mg |
| Folic Acid | 1,250 | mg | Methionine | 3,500 | mg |
| Vitamin B ₁₂ | 13,000 | mcg | Amino Acids Range | 2,100 | mg |
| Vitamin C | 1,000 | mg | Essential Fatty Acids | 1,500 | mg |

On a high energy base.

DOSAGE

NO WITHDRAWAL PERIOD

| Age: | | Usage Rates: | |
|--------------------|-------------------------------------|---|--|
| | Rams | 20 ml 6-8 weeks before turnout and again at turnout | |
| EWES/GOATS | Hill ewes and small breeds | 15 mℓ 3-4 weeks prior to ram turnout | |
| PRE-TUPPING | Low ground ewes and larger breeds | 20 ml 3-4 weeks prior to ram turnout | |
| | Intensively flushed low ground ewes | 15 ml 3 weeks prior to ram introduction and 15 ml | |
| | Intensively indshed low ground ewes | at ram introduction | |
| PRE-LAMBING | Hill ewes and small breeds | 15 mℓ 4-6 weeks pre-lambing | |
| | Low ground ewes and larger breeds | 20 mℓ 4-6 weeks pre-lambing | |
| | Very young lambs | 2.5 ml | |
| LAMBS and HOGGS | Young lambs | 5 mℓ at marking or first deworming/vaccinating | |
| 10003 | Hoggs and ram lambs | 10 m ℓ . Repeat every 3-4 months or whenever handled | |

IMPORTANT: Shake well before use. Do not exceed recommendations. Drench carefully to avoid the windpipe.

Uses nano-emulsion technology for maximum bioavailability and effect.

PRECAUTIONS: This is not a veterinary medicinal product. Keep out of reach of children. For animal use only. NOT for human consumption. If in doubt, consult your veterinarian or representative.

STORAGE: Store in cool dry place out of direct sunlight. Store between 5 - 25 °C, in original container. Product must be used within 3 months of opening.





Registration Holder: Ashkan Consulting (Pty) Ltd, Reg. No.: 2006/020486/07. 62 Kyalami Boulevard, Kyalami Business Park, Midrand, 1685. Tel: +27 (0) 11 466 8763.

Distributed by: Antrovet Animal Health (Pty) Ltd, Reg. No.: 2019/194324/07. PO Box 60577, Pierre van Ryneveld, 0045. Tel: +27 (0) 11 826 2988, www.antrovet.co.za



Reg. No. V23769 (Act 36 of 1947)

Ovi-Thrive Sheep & Goats is a concentrated liquid complementary feeding stuff, scientifically formulated to aid optimal growth, immunity, fertility and performance for all types and ages of sheep and goats. Dioavailable vitamins

- 😉 ESSENTIAL AMINO ACIDS
- STRACE ELEMENTS
- SESSENTIAL FATTY ACIDS
- Senergy

Can be used in feed, drinking water, milk, drench or top dressed on feed.

COMPOSITION (per litre):

| | | | <u> </u> | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
|---|----------|-----|---------------------------------|---|
| Vitamin A 1 | ,000,000 | iu | Vitamin K (MSB) | 410 mg |
| Vitamin D ₃ | 152,000 | iu | lodine | 1,000 mg |
| Vitamin E (as α -tocopherol acetate) | 15,000 | mg | Selenium | 300 mg |
| Vitamin B ₁ | 2,700 | mg | Cobalt | 1,350 mg |
| Vitamin B ₂ | 1,000 | mg | Copper (MAAC) | 3,400 mg |
| Vitamin B ₃ | 3,500 | mg | Manganese (MAAC) | 2,000 mg |
| Vitamin B ₅ (Calcium pantothenate) | 1,250 | mg | Zinc (MAAC) | 6,000 mg |
| Vitamin B ₆ | 1,250 | mg | Lysine hydrochloride | 2,200 mg |
| Folic Acid | 1,250 | mg | Methionine | 3,500 mg |
| Vitamin B ₁₂ | 13,000 | mcg | Amino Acids Range | 2,100 mg |
| Vitamin C | 1,000 | mg | Essential Fatty Acids | 1,500 mg |
| Vitamin H (Biotin) | 3,750 | mcg | MAAC = Metal Amino Acid Chelate | |

On a high energy base.

DOSAGE:

NO WITHDRAWAL PERIOD

| Age: | | Usage Rates: | |
|---------------------------------------|-------------------------------------|---|--|
| | Rams | 20 mℓ 6-8 weeks before turnout and again at turnout | |
| EWES/GOATS Hill ewes and small breeds | | 15 ml 3-4 weeks prior to ram turnout | |
| PRE-TUPPING | Low ground ewes and larger breeds | 20 ml 3-4 weeks prior to ram turnout | |
| | Intensively flushed low ground ewes | 15 ml 3 weeks prior to ram introduction and 15 ml | |
| | Intensively indshed low ground ewes | at ram introduction | |
| PRE-LAMBING | Hill ewes and small breeds | 15 mℓ 4-6 weeks pre-lambing | |
| | Low ground ewes and larger breeds | 20 mℓ 4-6 weeks pre-lambing | |
| LAMPS and | Very young lambs | 2.5 ml | |
| LAMBS and HOGGS | Young lambs | 5 mℓ at marking or first deworming/vaccinating | |
| 10003 | Hoggs and ram lambs | 10 m ℓ repeat every 3-4 months or whenever handled | |

IMPORTANT: Shake well before use. Do not exceed recommendations. Drench carefully to avoid the windpipe. DO NOT FEED TO SHEEP SUSCEPTIBLE TO COPPER POISONING.

Uses nano-emulsion technology for maximum bioavailability and effect.

PRECAUTIONS: This is not a veterinary medicinal product. Keep out of reach of children. For animal use only. NOT for human consumption. If in doubt, consult your veterinarian or representative.

STORAGE: Store in cool dry place out of direct sunlight. Store between 5 - 25 °C, in original container. Product must be used within 3 months of opening.





Registration Holder: Ashkan Consulting (Pty) Ltd, Reg. No.: 2006/020486/07. 62 Kyalami Boulevard, Kyalami Business Park, Midrand, 1685. Tel: +27 (0) 11 466 8763.